Composite Structures **32** (1995) iii–vii
© 1995 Elsevier Science Limited
Printed in Great Britain. All rights reserved
0263-8223/95/$9.50

ELSEVIER

Contents

Special Issue: Eighth International Conference on Composite Structures

1 Preface
I. H. MARSHALL (UK)

3 Dynamic analysis of open cracked laminated composite beams
S. M. GHONEAM (Egypt)

13 The restrained torsional response of open section carbon fibre composite beams
J. LOUGHLAN & M. ATA (UK)

33 Vibration and damping analysis of beams with composite coats
A. A. EL-HAMID HAMADA (Egypt)

39 The mechanical characteristics of smart composite structures with embedded optical fiber sensors
D. C. LEE, J. J. LEE & S. J. YUN (Korea)

51 Effect of embedded optical fiber sensors on transverse crack spacing of smart composite structures
D. C. SEO & J. J. LEE (Korea)

59 The active buckling control of some composite column strips using piezoceramic actuators
S. P. THOMPSON & J. LOUGHLAN (UK)

69 A model for the optimum design of thin laminated plate-shell structures for static, dynamic and buckling behaviour
C. M. MOTA SOARES, C. A. MOTA SOARES & H. C. MATEUS (Portugal)

81 Dynamic buckling of nonlinear resin matrix composite structures
R. GILAT & J. ABOUDI (Israel)

89 Postbuckling analysis of laminated plates made of discontinuous metal matrix composites
E. FELDMAN (Israel)

97 The buckling response of carbon fibre composite panels with reinforced cut-outs
J. EIBLMEIER & J. LOUGHLAN (UK)

115 Evaluation of CFRP panels with scarf repair patches
M. S. FOUND & M. J. FRIEND (UK)

123 The effect of a spew fillet on adhesive stress distributions in laminated composite single-lap joints
M. Y. TSAI (USA) & J. MORTON (UK)

133 Damage tolerance of glass mat/epoxy laminates hybridized with flexible resin under static and impact loading
T. MORII, H. HAMADA (Japan), M. DESAEGER (Belgium), A. GOTOH, A. YOKOYAMA, I. VERPOEST & Z. MAEKAWA (Japan)

141 The damage tolerance of GRP laminates under biaxial prestress
M. D. ROBB, W. S. ARNOLD & I. H. MARSHALL (UK)

151 Stability of axially impacted composite plates
H. ABRAMOVICH & A. GRUNWALD (Israel)

159 Single and multiple impact behaviour of a CFPR laminate
M. S. FOUND & I. C. HOWARD (UK)

165 Mechanical characterisation and impact behaviour of concrete reinforced with natural fibres
S. K. AL-ORAIMI & A. C. SEIBI (Oman)

173 Prediction of energy absorption in composite stiffeners
D. H. LAANANEN & A. O. BOLUKBASI (USA)

187 Impact dynamics of composite beams
A. S. YIGIT & A. P. CHRISTOFOROU (Kuwait)

197 An engineering model for deformation of CFRP plates during penetration
D. O. URSENBACH, R. VAZIRI & D. DELFOSSE (Canada)

203 Lateral buckling of pultruded GRP I-section cantilevers
R. J. BROOKS & G. J. TURVEY (UK)

217 Effects of joint geometry and bolt torque on the structural performance of single bolt tension joints in pultruded GRP sheet material
C. COOPER & G. J. TURVEY (UK)

227 Bolted joints of pultruded sandwich composite laminates
S. RAMAKRISHNA, H. HAMADA & M. NISHIWAKI (Japan)

237 Free vibration analysis of thin rectangular laminated plate assemblies using the *h-p* version of the finite element method
N. S. BARDELL, J. M. DUNSDON & R. S. LANGLEY (UK)

247 The use of Monte Carlo techniques in statistical finite element methods for the determination of the structural behaviour of composite materials structural components
G. VAN VINCKENROY & W. P. DE WILDE (Belgium)

255 Finite element procedure for modelling fibre metal laminates
F. HASHAGEN, J. C. J. SCHELLEKENS, R. DE BORST (The Netherlands) &
H. PARISCH (Germany)

265 An automated finite element analysis of the initiation and growth of damage in carbon-fibre composite materials
K. GAMBLE, M. PILLING & A. WILSON (UK)

275 Finite element modelling of delamination growth in the DCB and edge delaminated DCB specimens
P. ROBINSON, F. JAVIDRAD & D. HITCHINGS (UK)

287 The variation of the stiffness coefficients for laminated open conical shell panels
K. N. KHATRI & N. S. BARDELL (UK)

293 A quasi-three-dimensional lateral compressive analysis method for a composite cylinder
T. NISHIWAKI, A. YOKOYAMA, Z. MAEKAWA, H. HAMADA & S. MORI (Japan)

299 A general doubly curved laminate shell theory
C. OSSADZOW, P. MULLER & M. TOURATIER (France)

313 Filament-wound pressure vessel with thick metal liner
J. M. LIFSHITZ & H. DAYAN (Israel)

325 Analytical and experimental approach to damage and residual strength of fibreglass composite automotive frame rails during manufacturing
A. G. MAMALIS, D. E. MANOLAKOS, G. A. DEMOSTHENOUS & M. B. IOANNIDIS (Greece)

331 Composite pressure hulls for deep ocean submersibles
D. GRAHAM (UK)

345 A new concept of a bus structure made of composite materials by using continuous transversal frames
E. LARRODÉ, A. MIRAVETE & F. J. FERNÁNDEZ (Spain)

357 Strength and damage accumulation of carbon fabric composites with a cross-linked NBR modified epoxy under static and cyclic loadings
M. HIGASHINO, K. TAKEMURA & T. J. FUJII (Japan)

367 Damage and its growth in laminated composite circular/rectangular plates undergoing large deformations
S. GANAPATHY, B. TRIPATHY & K. P. RAO (India)

375 Elasto-plastic behavior of thermoplastic composite laminates under cyclic loading
J. M. KENNY & M. MARCHETTI (Italy)

383 The effect of multiple damage in composite structures: a theoretical investigation
S. C. GALEA, L. P. SHAH & S. SANDERSON (Australia)

391 Maximum stiffness design of laminated composite plates via a constrained global optimization approach
T. Y. KAM & F. M. LAI (ROC)

399 Transverse shear effects in shape optimization of thinwalled laminated composite structures
A. MUC (Poland)

409 Optimal design of hybrid laminates with discrete ply angles for maximum buckling load and minimum cost
S. ADALI, A. RICHTER, V. E. VERIJENKO & E. B. SUMMERS (South Africa)

417 Optimum design of weaving structure of 3-D woven fabric composites by using genetic algorithms
T. OKUMURA, A. YOKOYAMA, K. NAGAI & Z. MAEKAWA (Japan)

427 Optimum design of artificial joints considering initial fixation of prosthesis
T. KATAYAMA, H. YAMAMOTO (Japan) & N. INOUE (USA)

435 The generation and effect of thermal transients in ceramic composites
R. J. GIBSON & R. D. THOMSON (UK)

445 Fabrication and mechanical properties of glass fibre reinforced thermoplastic elastomer composite
G. O. SHONAIKE & T. MATSUO (Japan)

453 Fracture mechanics and optimization—a useful tool for fibre-reinforced composite design
J. WANG & B. L. KARIHALOO (Australia)

467 Asymptotic stress field in a cracked orthotropic strip
J. CHAOUFI (Morocco), D. GAMBY & D. BENICCHIO (France)

477 Evaluation and analysis of interlaminar fracture toughness of bead filled matrix hybrid composite materials using orthotropic fracture mechanics
JUNG JU LEE (Korea)

491 Development of the composite bumper beam for passenger cars
SEONG SIK CHEON, JIN HO CHOI & DAI GIL LEE (Korea)

501 Design methodology for a braided cylinder
A. NAKAI, A. FUJITA, A. YOKOYAMA & H. HAMADA (Japan)

511 The development of two tooling concepts for the production of composite sine-wave beams
H. G. S. J. THUIS & H. P. J. DE VRIES (The Netherlands)

519 Quantitative microstructural examination of RTM fabrics designed for enhanced flow
J. SUMMERSCALES, P. R. GRIFFIN, S. M. GROVE & F. J. GUILD (UK)

531 A study on the characteristics of glass fibre reinforced thermoplastics by transfer moulding
T. KATAYAMA, T. OMIYA, I. AMANO, T. TANAKA & K. KURODA (Japan)

541 Roll forming of SMC and TMC, considering the resin-fibre interface
T. HIRAI (Japan)

549 The effect of material flow on the stress analysis of an SMC component
M. PINFOLD & G. CALVERT (UK)

557 Development of the composite flexspline for a cycloid-type harmonic drive using net shape manufacturing method
KWANG SEOP JEONG, DAI GIL LEE & SE HOON OH (Korea)

567 Study on small diameter drilling in GFRP
E. AOYAMA, H. INOUE, T. HIROGAKI, H. NOBE, Y. KITAHARA & T. KATAYAMA (Japan)

575 A study on the composite screw rotors for superchargers
YOUNG GOO KIM, KWANG SEOP JEONG, DAI GIL LEE & PARK KYOUN OH (Korea)

583 First-ply failure analysis of laminated composite plates based on the layerwise linear displacement theory
T. Y. KAM & T. B. JAN (ROC)

593 Development of a strength model for the cocured stepped lap joints under tensile loading
HYUN SURK KIM, SU JEONG LEE & DAI GIL LEE (Korea)

601 Failure prediction of composite T-beams subjected to lateral load on the web
A. SILVA, J. TRAVASSOS, M. DE FREITAS & C. M. M. SOARES (Portugal)

609 Study for critical values of collapsing pressure for orthotropic laminated casing
XIAO FANGCHUN & LI BINGYUAN (China)

615 Delamination due to interaction between curvature induced interlaminar tension and stresses at terminating plies
M. R. WISNOM & M. I. JONES (UK)

621 The effect of transverse compressive stresses on tensile failure of glass fibre–epoxy
M. R. WISNOM (UK)

627 Advanced calculation of the room-temperature shapes of thin unsymmetric composite laminates
M. SCHLECHT, K. SCHULTE (Germany) & M. W. HYER (USA)

635 A quasi-three-dimensional elastic wave propagation analysis for laminated composites
T. NISHIWAKI, A. YOKOYAMA, Z. MAEKAWA & H. HAMADA (Japan)

641 A new numerical modeling for laminated composites
T. NISHIWAKI, A. YOKOYAMA, Z. MAEKAWA & H. HAMADA (Japan)

649 On the use of a multilayer higher-order theory for the stress analysis around a circular hole of laminates under tension
R. BARBONI, R. CARBONARO & P. GAUDENZI (Italy)

659 Logarithmic stress singularities at clamped-free corners of a cantilever orthotropic beam under flexure
N. TULLINI & M. SAVOIA (Italy)

667 A solution of laminated cylindrical shells using an unconstrained third-order theory
S. DI & H. ROTHERT (Germany)